Diversey Europe BV
Maarssenbroeksedijk 2
3542 DN Utrecht, The Netherlands
Tel. +31 (0)30 247 6427
www.Diversey.com
Diversey - Lets Live

CERTIFICATE OF ANALYSIS

Date issue: 19 December 2025

Product Name	CLEARKLENS IPA VH1 S 6x0.9L		
Product Code	☑ 101105062	☐ 101105063	☐ 101105064
Batch Number	FMP25331	62869	
Production Date	27/11/2025		
Expiration Date	EXP 27/11/2027		

This is to certify that the above batch of product has been tested and conforms to the manufacturing Quality Control specification for the product

Test	Test Method	Specification	UOM	Results
Appearance	Visual	Clear Colourless Liquid	NA	Clear Colourless Liquid
Specific Gravity (20°C)	DM004	0.872 0.883	g/cm3	0.875

Control of the Sterility of the product:

Test	Test Method	Specification	Conformity	Reference No:
Sterilization	Gamma Irradiation	25.0 - 45.0 (kGy)	YES	62869
Sterility Certificate	Sterility by Mebrane Filtration EP 9.0 2.6.1, USP 42<71> & JP XVII 4.06	No Growth	YES	N2615 - 1/MFEP
2.6.14 Bacterial Endotoxins	Method C - Turbidimetric Kinetic Method (EP/USP Criteria)	<0.2 EU/mL	YES	N2615 - 2/ETEP

Date of released on behalf of Diversey's Manufacturing Location:	Testers: Natalia Traichel 19/12/2025 Justyna Staron 19/12/2025 Quality Control Inspector Olga Kirchner 28/01/2026

The analysis results above could change over time and in function of the storage temperature. It is imperative to store the products according to the recommeded conditions indicated in the SDS.

End of certificate of analysis

Certificate of Processing

STERIGENICS Seymour Link Road Woodthorpe Mastin Moor
TEL (0)1246 561230 FAX www.sterigenics.com

R55480102

12/08/2025 10:53:29 GMT

Customer Name:	**FLEXIBLE MED. GBP UK LANCASTER**	**Processing Facility:**	**Markham Vale**	**Work Order #**	**3882517**
P.O.#	**411968**			**Sales Order #**	**3954841**
25 - 45 kGy		**Gamma Irradiation**	**Irradiation Date/Time:**	12/05/2025 12:10:50 GMT	

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	1075	BX	101105062	Diversey Clearklens IPA 900ml	FMP25331	62869/STR002199
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
	1075	**BX**	**Total**			

Quality Test Summary

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	- - - - - - - -Signed By - - - - - - - User	Date /Time
450.00	Maximum Dose	25.0 kGy	45.0 kGy	40.5 KGY	Pass	JBARRATT	12/06/2025 04:10:13 GMT
		Reason Code Test				JAMIE BARRATT	
450.00	Minimum Dose	25.0 kGy	45.0 kGy	28.5 KGY	Pass	JBARRATT	12/06/2025 04:10:27 GMT
		Reason Code Test				JAMIE BARRATT	

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: CLAIRE CICALA-MAESTRE
Reason: Work Order Completions

Date: 12/08/2025 10:52:05 GMT

Certificate of Processing

STERIGENICS Seymour Link Road Woodthorpe Mastin Moor
TEL (0)1246 561230 FAX www.sterigenics.com

R55480102

12/15/2025 11:33:18 GMT

Customer Name:	**FLEXIBLE MED. GBP UK LANCASTER**	**Processing Facility:**	**Markham Vale**	**Work Order #**	**3884169**
P.O.#	**412011**			**Sales Order #**	**3956677**
25 - 45 kGy		**Gamma Irradiation**		**Irradiation Date/Time:**	12/12/2025 22:37:23 GMT

SO Line #	Qty	UOM	Customer Item Number	Customer Item Description	Customer Lot Number	Customer Load Number
101.000	1062	BX	101105062	Diversey Clearklens IPA 900ml	FMP25331	62869/STR002199
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
102.000	13	BX	101105062_SAMPLE	Diversey Clearklens IPA 900ml	FMP25331	62869/STR002199
	Dose Map		302_0112	RF: 13.5A3, AF Min: 0.717		
	1075	**BX**	**Total**			

Quality Test Summary

Op#	Quality Test Description	Minimum Spec	Maximum Spec	Result	Pass/Fail	- - - - - - - -Signed By - - - - - - - User	Date /Time
450.00	Minimum Dose	25.0 kGy	45.0 kGy	27.8 KGY	Pass	PSAXTON	12/13/2025 20:09:25 GMT
		Reason Code Test				PAUL SAXTON	
450.00	Maximum Dose	25.0 kGy	45.0 kGy	39.4 KGY	Pass	PSAXTON	12/13/2025 20:09:39 GMT
		Reason Code Test				PAUL SAXTON	

Sterigenics certifies that the materials listed above (as described by the Manufacturer) received the indicated doses within the precision and accuracy of the dosimetry system employed.

Electronically Signed By: CLAIRE CICALA-MAESTRE
Reason: Work Order Completions

Date: 12/15/2025 11:31:35 GMT

PHARMACEUTICAL ANALYSIS REPORT

LUCIDEON
providing material solutions

Flexible Medical Packaging
Unit 8
Hightown
White Cross Industrial Estate
Lancaster
LA1 4XS

FAO: Mrs. Olga Kirchner

Report of Tests on: ClearKlens IPA

Sample Description: Sample Code: Fmp25331 62869

Lucideon Sample Number: N2615 - 1

Lucideon Report Number: N2615 - 1/MFEP **Issue Number:** 1

Date Logged: 05-Jan-2026 **Order Number:** 412152

Date Reported: 28-Jan-2026 **Date(s) of Test(s):** 13-Jan-2026 **to** 27-Jan-2026

Sterility Testing

Membrane Filtration EP

Test Results:

Result: Pass

The test results meet the EP/USP criteria: Yes

Tests carried out in accordance with cGMP

End of Test Report

Signed by:

Tracy Wheeler

Signer Name: Tracy Wheeler
Signing Reason: I have reviewed this document
Signing Time: 28 January 2026 | 11:13 GMT

D85AB0246E184F31821E2EC1AFA6CA90

Tracy Wheeler
Business Support Administrator

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited
Stone Business Park
Brooms Road, Stone
Staffordshire, ST15 0SH, UK

T +44 (0)1785 331874
query@lucideon.com
www.lucideon.com
Reg. England 1960455

Certificate Of Completion

Envelope Id: E6C74C21-5B22-42A7-B460-BFD000259B6C
Subject: N2615 Flexible Medical
Source Envelope:
Document Pages: 1
Certificate Pages: 1
AutoNav: Enabled
EnvelopeId Stamping: Disabled
Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Signatures: 1
Initials: 0

Status: Completed

Envelope Originator:
Tracy Wheeler
Queens Road
Stoke-on-Trent, Staffordshire ST4 7LQ
Tracy.Wheeler@uk.lucideon.com
IP Address: 86.188.222.148

Record Tracking

Status: Original
28-Jan-26 | 11:09

Holder: Tracy Wheeler
Tracy.Wheeler@uk.lucideon.com

Location: DocuSign

Signer Events	Signature	Timestamp
Tracy Wheeler Tracy.Wheeler@uk.lucideon.com PlaceHolder Lucideon Limited Security Level: Email, Account Authentication (Required), Authentication, Login with SSO	Tracy Wheeler Signature Adoption: Pre-selected Style Signature ID: D85AB024-6E18-4F31-821E-2EC1AFA6CA90 Using IP Address: 86.188.245.148 With Signing Authentication via Docusign password With Signing Reasons (on each tab): I have reviewed this document	Sent: 28-Jan-26 | 11:12 Viewed: 28-Jan-26 | 11:13 Signed: 28-Jan-26 | 11:13

Electronic Record and Signature Disclosure:
Not Offered via Docusign

In Person Signer Events	Signature	Timestamp

Editor Delivery Events	Status	Timestamp

Agent Delivery Events	Status	Timestamp

Intermediary Delivery Events	Status	Timestamp

Certified Delivery Events	Status	Timestamp

Carbon Copy Events	Status	Timestamp

Witness Events	Signature	Timestamp

Notary Events	Signature	Timestamp

Envelope Summary Events	Status	Timestamps
Envelope Sent	Hashed/Encrypted	28-Jan-26 | 11:12
Certified Delivered	Security Checked	28-Jan-26 | 11:13
Signing Complete	Security Checked	28-Jan-26 | 11:13
Completed	Security Checked	28-Jan-26 | 11:13

Payment Events	Status	Timestamps

PHARMACEUTICAL ANALYSIS REPORT

LUCIDEON
providing material solutions

Flexible Medical Packaging
Unit 8
Hightown
White Cross Industrial Estate
Lancaster
LA1 4XS

FAO: Mrs. Olga Kirchner

Report of Tests on: ClearKlens IPA

Sample Description: Sample Code: Fmp25331 62869

Lucideon Sample Number: N2615 - 2

Lucideon Report Number: N2615 - 2/ETEP **Issue Number:** 1

Date Logged: 05-Jan-2026 **Order Number:** 412152

Date Reported: 16-Jan-2026 **Date(s) of Test(s):** 06-Jan-2026 **to** 06-Jan-2026

Endotoxin Test (EP)

2.6.14 Bacterial Endotoxins - Method C - Turbidimetric Kinetic Method

Test Results:

The test results meet the EP/USP criteria: Yes

Result: Pass (<0.2000 EU/ml)

Tests carried out in accordance with cGMP

End of Test Report

Signed by:
Tracy Wheeler
Signer Name: Tracy Wheeler
Signing Reason: I have reviewed this document
Signing Time: 16 January 2026 | 11:41 GMT
D85AB0246E184F31821E2EC1AFA6CA90

Tracy Wheeler
Business Support Administrator

This report is issued in accordance with the Conditions of Business of Lucideon Limited and relates only to the sample(s) tested. No responsibility is taken for the accuracy of the sampling unless this is done under our own supervision. This report shall not be reproduced in part without the written approval of Lucideon Limited, nor used in any way as to lead to misrepresentation of the results or their implications.

Lucideon is the trading name of Lucideon Limited. Registered in England No. 1960455.

Lucideon Limited
Stone Business Park
Brooms Road, Stone
Staffordshire, ST15 0SH, UK

T +44 (0)1785 331874
query@lucideon.com
www.lucideon.com
Reg. England 1960455

Certificate Of Completion

Envelope Id: 5AAC0F4B-825D-4965-9BC8-C245C293808C
Subject: N2615-2 Flexible Medical Packaging
Source Envelope:
Document Pages: 1
Certificate Pages: 1
AutoNav: Enabled
EnvelopeId Stamping: Disabled
Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Signatures: 1
Initials: 0

Status: Completed

Envelope Originator:
Tracy Wheeler
Queens Road
Stoke-on-Trent, Staffordshire ST4 7LQ
Tracy.Wheeler@uk.lucideon.com
IP Address: 86.188.222.148

Record Tracking

Status: Original
16-Jan-26 | 11:37

Holder: Tracy Wheeler
Tracy.Wheeler@uk.lucideon.com

Location: DocuSign

Signer Events	Signature	Timestamp
Tracy Wheeler Tracy.Wheeler@uk.lucideon.com PlaceHolder Lucideon Limited Security Level: Email, Account Authentication (Required), Authentication, Login with SSO	Tracy Wheeler Signature Adoption: Pre-selected Style Signature ID: D85AB024-6E18-4F31-821E-2EC1AFA6CA90 Using IP Address: 86.188.245.148 With Signing Authentication via Docusign password With Signing Reasons (on each tab): I have reviewed this document	Sent: 16-Jan-26 | 11:41 Viewed: 16-Jan-26 | 11:41 Signed: 16-Jan-26 | 11:41

Electronic Record and Signature Disclosure:
Not Offered via Docusign

In Person Signer Events	Signature	Timestamp

Editor Delivery Events	Status	Timestamp

Agent Delivery Events	Status	Timestamp

Intermediary Delivery Events	Status	Timestamp

Certified Delivery Events	Status	Timestamp

Carbon Copy Events	Status	Timestamp

Witness Events	Signature	Timestamp

Notary Events	Signature	Timestamp

Envelope Summary Events	Status	Timestamps
Envelope Sent	Hashed/Encrypted	16-Jan-26 | 11:41
Certified Delivered	Security Checked	16-Jan-26 | 11:41
Signing Complete	Security Checked	16-Jan-26 | 11:41
Completed	Security Checked	16-Jan-26 | 11:41

Payment Events	Status	Timestamps