



Diversey Europe Operations BV
Maarssebroeksedijk 2
3542 DN Utrecht
The Netherlands

Tel. +31 (0)30 247 6427
www.Diversey.com

CERTIFICATE OF ANALYSIS

Date: 18 March 2026

Product Name	CLEARKLENS TEGO 2000SC VH25		
Product Code	101107171		
Batch Number	FMP26054	63411	
Production Date	23/02/2026		
Expiration Date	EXP 23/02/2029		

This is to certify that the above batch of product has been tested and conforms to the manufacturing Quality Control specification for the product.

Test	Test Method	Limits		Results
		Lower	Upper	
Appearance	Visual	Clear Slightly Yellow Liquid		Clear Slightly Yellow Liquid
Specific Gravity (20°C)	DM004	0.993	1.003	1.000
pH (neat solution)	DM001	7.5	8.5	7.9

On behalf of Diversey site Quality Manger	Name:	Edyta Rodrigues Natalia Traichel
	Position	Quality Control Inspector

This document being issued electronically does not bear a signature

COA Template	Version : 04	Date of issuing : March 11th 2019
--------------	--------------	-----------------------------------

STERIS: Certificate Of Processing

Prepared For FLEXIBLE MEDICAL PACKAGING LTD (8245)

Gamma Process Run ID 2173-62639A

<u>Product Code</u>	<u>Lot Number</u>	<u>Quantity</u>	<u>UOM</u>
TEGO 2000SC DV4724	FMP26054/63411	98	Case
Validation Reference Number: 4724			
TEGO 2000SC DV4724	FMP26054/63411, Sample Box	1	Case
Validation Reference Number: 4724			

Processing Run Start Date 09-Mar-2026 2:37 PM

Processing Run End Date 09-Mar-2026 11:41 PM

Specified Dose Range (kGy)	25.0 - 45.0	Calculated Min Dose (kGy)	31.4
Reference Dose Range (kGy)	29.4 - 40.5	Calculated Max Dose (kGy)	42.6

PO Number: 412586

Product meets Customer specifications; zero nonconformities occurred during this irradiation run.

Gamma Process Run Approval authorized by STERIS

DateTime Esigned 10-Mar-2026 7:01 AM

Operating facilities are in compliance with applicable local/state and federal regulations providing services under a certified quality system which meets the following requirements (if applicable): FDA QMSR, ISO 9001, ISO 13485 current certified version, national pharmaceutical GMP (EU GMP, Commission Directive 2017/1572, Veterinary Regulation (EU) 2019/6, etc.) and is in alignment with ISO 11137 current certified version. STERIS AST certifies that these processed items received the indicated doses within the precision and accuracy of the dosimetry system used.

The product has been processed as per the requirements of the Customer Agreement and/or Customer Specification.

Processing Location

Synergy Health Sterilisation UK
Limited, a STERIS Company
Brunel Close
Drayton Fields Industrial Estate
Daventry
Northants
NN11 8RB
Phone: + 44(0) 1327 706 111

PHARMACEUTICAL ANALYSIS REPORT

Flexible Medical Packaging

Unit 8
Hightown
White Cross Industrial Estate
Lancaster
LA1 4XS

FAO: Mrs. Olga Kirchner

Report of Tests on: Tego 2000SC

Sample Description: Sample Code: Fmp26054 63411

Lucideon Sample Number: N261144 - 2

Lucideon Report Number: N261144 - 2/MFEP

Issue Number: 1

Date Logged: 19-Mar-2026

Order Number: 412696

Date Reported: 16-Apr-2026

Date(s) of Test(s): 25-Mar-2026 to 12-Apr-2026

Sterility Testing

Membrane Filtration EP

Test Results:

Result: Pass

The test results meet the EP/USP criteria: Yes

Tests carried out in accordance with cGMP

End of Test Report

Signed by:

Natalie Boot



Signer Name: Natalie Boot
Signing Reason: I have reviewed this document
Signing Time: 16 April 2026 | 15:43 BST

90369E9048134123B65D5E8FBD375BF3

Mrs Natalie Boot

Senior Business Support Administrator

Page 1 of 1

Certificate Of Completion

Envelope Id: B9A34597-EE97-4829-89AC-E8ECF855A0C5
 Subject: N261144
 Source Envelope:
 Document Pages: 1
 Certificate Pages: 2
 AutoNav: Enabled
 Envelopeld Stamping: Disabled
 Time Zone: (UTC) Dublin, Edinburgh, Lisbon, London

Status: Completed
 Envelope Originator:
 Natalie Boot
 Queens Road
 Stoke-on-Trent, Staffordshire ST4 7LQ
 Natalie.Boot@uk.lucideon.com
 IP Address: 86.188.245.148


Record Tracking

Status: Original
 16-Apr-26 | 15:42
 Holder: Natalie Boot
 Natalie.Boot@uk.lucideon.com
 Location: DocuSign

Signer Events

Natalie Boot
 Natalie.Boot@uk.lucideon.com
 Admin Supervisor Placeholder
 Lucideon Limited
 Security Level: Email, Account Authentication (Required), Authentication, Login with SSO

Signature

Signed by:

 Signer Name: Natalie Boot
 Signing Reason: I have reviewed this document
 Signing Time: 16 April 2026 | 15:43 BST
 90369E9048134123B65D5E8FBD375BF3

Timestamp

Sent: 16-Apr-26 | 15:42
 Viewed: 16-Apr-26 | 15:43
 Signed: 16-Apr-26 | 15:43

Signature Adoption: Pre-selected Style
 Signature ID:
 90369E90-4813-4123-B65D-5E8FBD375BF3
 Using IP Address: 86.188.245.148

With Signing Authentication via Docusign password
 With Signing Reasons (on each tab):
 I have reviewed this document

Electronic Record and Signature Disclosure:
 Not Offered via Docusign

In Person Signer Events

Signature

Timestamp

Editor Delivery Events

Status

Timestamp

Agent Delivery Events

Status

Timestamp

Intermediary Delivery Events

Status

Timestamp

Certified Delivery Events

Status

Timestamp

Carbon Copy Events

Status

Timestamp

Witness Events

Signature

Timestamp

Notary Events

Signature

Timestamp

Envelope Summary Events

Status

Timestamps

Event	Status	Timestamp
Envelope Sent	Hashed/Encrypted	16-Apr-26 15:42
Certified Delivered	Security Checked	16-Apr-26 15:43
Signing Complete	Security Checked	16-Apr-26 15:43
Completed	Security Checked	16-Apr-26 15:43

Payment Events

Status

Timestamps